4.5

Form PTQ-1449

Attorney Docket No. Serial No.: 062020-1430 10/631,948 **Applicant**

Ayazi, et al.

Filing Date Group

(Use several sheets if necessary)

	(Use several sneets if necessary)				7-31-03			Group 2834	
			U.S. PA	TENT DOCUMEN	TS			_	
Examiner Initials	Item	Document Number	Date	Nam	ne	Class	Subclass	Filing Date If Appropriate	
Mb	A	3,513,356		Newell		1	_	6-27-67	
	В	3,634,787	1-11-72	Newell		333	72	1-23-68	
	С	5,162,691	11-10-92	Mariani, et al.		310	321	1-22-91	
	D	5,426,070	6-20-95	Shaw, et al.		437	203	5-26-93	
	E	5,491,604	2-13-96	Nguyen, et al.		361	278	12-11-92	
	F	5,587,620	12-24-96	Ruby, et al.		310	346	12-21-93	
	G	5,589,082	12-31-96	Lin, et al.		216	2	6-7-95	
	Н	5,663,505	9-2-97	Nakamura		73	702	5-8-96	
	I	5,719,073	2-17-98	Shaw, et al.		437	228	9-27-94	
	J	5,846,849	12-8-98	Shaw, et al.	-	438	52	2-24-97	
	K	5,847,454	12-8-98	Shaw, et al.		257	734	9-22-97	
V		OTHER DOCUM	ENTS (Includ	ling Author, Title, D	ate, Pertinent P	ages, etc	.)		
M	L	Ayazi, et al.; Capacitive Re July 31, 2003						632,176; filed	
	M	Ma, et al.; Sacrificial Layer 2003/0006468 A1; filed Jur	r Technique to late 27, 2001.	Make Gaps in MEMS	Applications; US	Patent A	pplication P	ublication No.:	
	N	Bourgeois, et al.; Design of Resonators for the Determination of the Temperature Coefficients of Elastic Constants of Monocrystalline Silicon; 1997 IEEE International Frequency Control Symposium; Orlando, FL.; Pages 791-799							
	0	Mihailovich, et al.; Dissipation Measurements of Vacuum-Operated Single-Crystal Silicon Microresonators, Sensors and Actuators A 50 (1995); Pages 199-207							
	P	Roszhart, et al.; The Effects of Thermoelastic Internal Friction on the Q of Micromachined Silicon Resonators; IEEE Solid State Sensor and Actuator Workshop, Hilton Head, SC 6/4-7/90 (1990) pp 489-494							
	Q Cleland, et al.; Fabrication of High Frequency Nanometer Scale Mechanical Resonators from Bulk Si Crystals; Condensed Matter Physics, CA Inst. of Tech.; Received June 21, 1996, Pages 2653-2655						rystals;		
	R No, et al.; The HARPSS Process for Fabrication of Nano-Precision Silicon Electromechanical Resonators; IEEE Conf. of Nanotechology; October 30, 2001; Pages 489-494							s; IEEE Conf.	
V	S	Water, et al.; "Physical and University; Received May 7	Structural Prop , 2001; Pages 6	perties of ZnO Sputter 7-72	red Films"; Dept.	of EE, Na	ntional Cheng	g Kung	
EXAMINI onformance a	ER: Ini	tial if citation considered, whe considered. Include copy of th	ther or not citation	on is in conformance with t communication to the a	h MPEP § 609. Dra	aw line thr	ough citation	if not in	
XAMINE	R'S SIG	CNATIDE:	ARY EXAMINE	DATE	CONSIDERED:	10-	26-616	<u> </u>	

Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

۶٠.

UN 03 2004 ES

Form PTO-1449

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Attorney Docket No. 062020-1430

Serial No.: 10/631,948

Applicant Ayazi, et al.

Filing Date

Group

				7-31-03		2834	<u> </u>		
	,		U.S. PA	ATENT DOCUMENTS					
Examiner Initials	Item	Document Number	Date	Name	Class	Subclass	Filing Date If Appropria		
no	T	5,873,153	2-23-99	Ruby, et al.	29	25.35	8-27-96		
	U	5,884,378	3-23-99	Dydyk	29	25.35	7-22-96		
	V	5,894,647	4-20-99	Lakin	29	25.35	6-30-97		
	W	5,914,801	6-22-99	Dhuler, et al.	359	230	9-27-96		
	х	5,976,994	11-2-99	Nguyen, et al.	438	795	6-13-97		
	Y	5,998,906	12-7-99	Jerman, et al.	310	309	8-17-98		
	Z	6,000,280	12-14-99	Miller, et al.	73	105	3-23-98		
	a	6,051,866	4-18-00	Shaw, et al.	257	417	8-11-98		
	ь	6,060,818	5-9-00	Ruby, et al.	310	363	6-2-98		
	С	6,067,858	5-30-00	Clark, et al.	73	504.16	5-30-97		
V	d	6,087,747	7-11-00	Dhuler, et al.	310	90	4-1-99		
		OTHER DOCUM	MENTS (Includ	ding Author, Title, Date, Pertinen	t Pages, etc.)		1		
1/2	е			nical Beam Resonators, Sensors and		8; 2001; pp 20	53-272		
	f	Bhave, et al.; Poly-Sige: A Hi Microsystems Workshop, Hil	igh-Q Structural ton Head Island	Material for Integrated RF Mems; So, South Carolina, June 2-6, 2002; pp	olid-State Sense 34-37	or, Actuator a	nd		
	g Hsu, et al.; Q Optimized Lateral Free-Free Beam Micromechanical Resonators; Digest of Technical Papers, The 11 th On Solid-State Sensors & Actuators (Transducers'01), Munich, Germany, June 10-14, 2001, pp. 1110-1113					e 11 th Int. Con			
	h	†	tors in Micron-	and Submicron - Thick Cantilevers;			nical System		
	i	Peterson, et al.; Resonant Bea Sensors and Actuators (Trans	um Pressure Sens duces '91), San	sor Fabricated With Silicon Fusion B Francisco, CA; 1991; pp 664-667	onding; 6th Int	. Conference o	on Solid State		
	j	Abdelmoneum, et al.; Sternless Wine-Glass Mode Disk Micromechanical Resonators; IEEE; 2003; pp 698-701							
							_		
	 k Piekarski, et al; Surface Micromachined Piezoelectric Resonant Beam Filters; Sensors and Actuators, A 91; 2001; pp 313- Lifshitz, et al.; Thermoelastic Damping In Micro- and Nanomechanical Systems; Physical Review B; Vol. 61, No. 8; Febr 15, 2000; pp 5600-5609 								
JI	m Srikar, et al.; Thermoelastic Damping In Fine-Grained Polysilicon Flexural Beam Resonators; Journal of Microelectromechanical Systems, Vol. 11, No. 5; October, 2002; pp 499-504								

PRIMARY EXAMINA

considered. Include copy of this form with next communication to the applicant.

EXAMINER'S SIGNATURE:

Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

10-26-04

DATE CONSIDERED:

Form PTO-1449

EXAMINER'S SIGNATURE:

INFORMATION DISCLOSURE

(Use several sheets if necessary)

Applicant

Serial No .: 10/631,948

Ayazi, et al.

062020-1430

Filing Date 7-31-03

Attorney Docket No.

Group

				7-31-03		2834	<u> </u>	
·			U.S. PA	TENT DOCUMENTS				
Examiner Initials	Item	Document Number	Date	Name	Class	Subclass	Filing Date If Appropria	
M	n	6,121,552	9-19-00	Brosnihan, et al.	174	253	6-13-97	
	0	6,134,042	10-17-00	Dhuler, et al.	359	224	4-1-99	
	р	6,215,375	4-10-01	Larson, III, et al.	333	187	3-30-99	
	q	6,236,281	5-22-01	Nguyen, et al.	331	154	9-21-99	
	r	6,238,946	5-29-01	Ziegler	438	50	8-17-99	
	s	6,239,536	5-29-01	Lakin	310	364	9-8-98	
	t	6,256,134	7-3-01	Dhuler, et al.	359	212	7-28-00	
	u	6,275,122	8-14-01	Speidell, et al.	333	186	8-17-99	
	v	6,275,320	8-14-01	Dhuler, et al.	359	237	9-27-99	
	w	6,291,931	9-18-01	Lakin	310	364	11-23-99	
\forall	х	6,296,779	10-2-01	Clark, et al.	216	66	2-22-99	
		OTHER DOCUM	ENTS (Includ	ing Author, Title, Date, Pertinent P	ages, etc	.)	<u> </u>	
M	у	Lakin; Thin Film Resonato	ors and Filters; I	EEE Ultrasonics Symposium; 1999; pp	895-906			
(z	Ruby, et al.; Ultra-Miniatur Circuits Conference; 2001;	e High-Q Filter pp 120-121 & 4	s and Duplexers Using FBAR Technole	ogy; IEEE	E Internationa	al Solid-State	
	AA	Clark, et al.; High-Q VHF N	/licromechanica	al Contour-Mode Disk Resonators; IEE	E; 2000;	pp 493-496		
	BB	Wang, et al.; VHF Free-Fre Vol. 9, No. 3; September 20	e Beam High-Q 00; pp 347-360	Micromechanical Resonators; Journal	of Micros	electromecha	nical Systems	
	CC	Piazza, et al.; Voltage-Tunable Piezoelectrically-Transduced Single-Crystal Silicon Resonators on SOI Substrate; in Proc. IEEE Internatinal Microelectro Mechanical Systems Conference (MEMs '03), Koyoto, Japan, Jan. 2003						
4	DD	Pourkamali, et al.; A 600kH	z Electrically-C	Coupled MEMs Bandpass Filter; MEM	s '03, pp.	702-705		
	EE							
J	FF	No, et al., Single-Crystal Silicon HARPSS Capacitive Resonators With Submicron Gap-Spacing; Solid State Sensors, Actuators and Microsystems Workshop, pp. 281-284, Hilton Head, SC; June 2002						
EXAMINI	ER: In	itial if citation considered, whe	ther or not citatio	n is in conformance with MPEP § 609. Dr. communication to the applicant.		ough citation i	f not in	
VANADADE	210 01	CNIATIDE.						

DATE CONSIDERED:

Form PTO-1449 INFORMATION DISCLOSURE

Attorney Docket No. Serial No.: 062020-1430 10/631,948

Applicant

Ayazi, et al. Filing Date

Group

(Use several sheets if necessary)

				7-31-03		2834	<u> </u>
			U.S. PA	TENT DOCUMENTS			
Examiner Initials	Item	Document Number	Date	Name	Class	Subclass	Filing Dat If Appropris
Ms	GG	6,348,846	2-19-02	von Gutfeld, et al.	333	201	10-14-99
	нн	6,373,682	4-16-02	Goodwin-Johansson	361	278	12-15-99
	II	6,377,438	4-23-02	Deane, et al.	361	278	10-23-00
	JJ	6,391,674	5-21-02	Ziegler	438	52	12-28-00
	KK	6,428,713	8-6-02	Christenson, et al.	216	2	10-1-99
	LL	6,429,755	8-6-02	Speidell, et al.	333	197	1-30-01
	ММ	6,433,401	8-13-02	Clark, et al.	257	524	4-5-00
	NN	6,480,645	11-12-02	Peale, et al.	385	18	1-30-01
	00	6,485,273	11-26-02	Goodwin-Johansson	417	410.2	9-1-00
	PP	6,495,892	12-17-02	Goodman, et al.	257	414	3-26-99
$\sqrt{\mathcal{U}}$	QQ	6,497,141	12-24-02	Turner, et al.	73	105	6-5-00
		OTHER DOCUM	ENTS (Includ	ling Author, Title, Date, Pertinent I	Pages, etc	.)	·
M	RR			EEE International Solid-State Circuits			1-3
	SS	Ho, et al.; Through-Support Proc. IEEE International M Jan. 2004, pp769-772	t-Coupled Micro licro Electro Me	omechanical Filter Array; School of Echanical Systems Conference (MEMS	ectrical ar	d Computer tricht, The N	Engineering letherlands,
		Pourkamali, et al.; Fully Sir IEEE International Micro E 816	ngle Crystal Sili Electro Mechani	con Resonators With Deep-Submicror cal Systems Conference (MEMS '04),	Dry-Etch	ed Transduc rlands, Jan. 1	er Gaps; Proc 2004, pp 813
	UU Pourkamali, et al.; Electrostatically Coupled Micromechanical Beam Filters; Proc. IEEE International Micro Electro Mechanical Systems Conference (MEMS '04), The Netherlands, Jan. 2004, pp. 584-587						
		Mechanical Systems Confer	ence (MEMS '0	4), The Netherlands, Jan. 2004, pp. 5	84-587	Ciliadoliai IV	licro Electro
	vv	Mechanical Systems Confei	tence (MEMS '0 ution, Stictionle	ess, CMOS Compatible SOI Acceleron	84-587		
	vv	Mechanical Systems Confer Amini, et al.; A High Resol 0.25 μm CMOS Interface; I	rence (MEMS '0 ution, Stictionle EEE MEMS'04	ess, CMOS Compatible SOI Acceleron	84-587 neter with	a Low Noise,	
iuormance a	VV WW ER: In	Mechanical Systems Confert Amini, et al.; A High Resol 0.25 μm CMOS Interface; I Humad, et al.; High Frequent itial if citation considered, whe	rence (MEMS '0 ution, Stictionle EEE MEMS'04 ncy Micromecha ther or not citation is form with next	ess, CMOS Compatible SOI Acceleron Jan. 2004, pp. 572-575	84-587 neter with a	a Low Noise,	Low Power,

OIPE CO	
TRADENARTH	

Form PTO-1449

INFORMATION DISCLOSURE CITATION

Ī	Attorney Docket No. 062020-1430	Serial No.: 10/631,948
	Applicant Ayazi, et al.	10,0019 10

	(Use several sheets if necessary)				Filing Date 7-31-03		Group 2834	
·			U.S. PA	TENT DOCUMEN	TS			
Examiner Initials	Item	Document Number	Date	Date Name		Class	Subclass	Filing Date If Appropriate
115	XX	6,555,201	4-29-03	Dhuler, et al.		428	137	5-15-00
		OTHER DOCUM	MENTS (Includ	ling Author, Title, D	ate, Pertinent F	Pages, etc	2.)	
Mo	YY	Abdolvand, et al.; Thermo						324-327
	ZZ	Sundaresan, et al.; A 7-Ml of International Symposium	Hz Process, Tem	perature and Supply (Compensated Clo	ck Oscilla	tor in 0.25m	
	aa	No, et al.; Single-Crystal S Actuator and Microsystem	Silicon HARPSS s Workshop, Hil	Capacitive Resonator ton Head Island, Sout	s With Submicro h Carolina, June	n Gap-Spa 2-6, 2002	acing; Solid- ; pp 281-284	State Sensor,
	bb	Balaraman, et al.; Low-Cost Low Actuation Voltage Copper RF MEMS Switches; IEEE; 2002; pp 1225-1228						
	СС	Dalmia; Design of Inductors in Organic Substrates For 1-3 GHz Wireless Applications; IEEE; 2002; pp 1405-1408						1405-1408
		Dalmia, et al.; High-Q RF Passives on Organic Substrates Using a Low-Cost Low-Temperature Laminate Process; Proc. 2002 Symposium on Design, Test, Integration and Packaging of MEMS/MOEMS (DTIP 2002), Cannes, Francisco Proc. 2002, pp. 660-669						
	ee	Ayazi, et al.; A High Aspe Hilton Head Island, South	ct-Ratio Polysilio Carolina, June 4	con Vibrating Ring G -8, 2002; pp 289-292	yroscope; Solid-S	tate Senso	or and Actua	tor Workshop,
	ff	Ayazi, et al.; High Aspect- IEEE; 2000; pp 304-308	Ratio Dry-Releas	se Poly-Silicon MEM	S Technology for	Inertial-C	Grade Microg	gyroscopes;
	gg	Ayazi, et al.; Design and Fabrication of A High-Performance Polysilicon Vibrating Ring Gyroscope; IEEE; 1998; pp 621-626						
	hh	Selvakumar, et al.; A High Sensitivity Z-Axis Torsional Silicon Accelerometer; The International Electron Devices Meeting; San Francisco, CA; Dec. 8-11, 1996						on Devices
	ii	Hao, et al.; An Analytical l Vibrations; Sensors and Ac	Model for Supportuators, A 109; 2	rt Loss in Micromach 2003; pp 156-164	ined Beam Reson	ators Wit	h In-Plane F	lexural
mormance a	ina not	tial if citation considered, wh considered. Include copy of t	ether or not citation his form with next	n is in conformance with communication to the a	n MPEP § 609. Dr pplicant.	aw line thr	ough citation	if not in
XAMINE	r's sic	GNATURE:	/	DATE	CONGIDEDED			

DATE CONSIDERED:

Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

Form PT	D-1449) JIM U 3 MM 3	Attorney Docket No. 062020-1430	Serial No.: 10/631,948					
IN	FOR	MATION DISCLOSURE CITATION	Applicant Ayazi, et al.						
		(Use several sheets if necessary)	Filing Date 7-31-03	Group 2834					
		OTHER DOCUMENTS (Including Author, Title,	Date, Pertinent Pages, et	rc.)					
MB.	jj	apacitive Beam Resonators vistems, Vol. 12, No. 4; Augu	With Self-Aligned Sub-100- st 2003; pp 487-496						
	kk	Ayazi; The HARPSS Process for Fabrication of Precision MEI	MS Inertial Sensors; Mechat	ronics 12; 2002; pp 1185-					
	11	Ayazi; A HARPSS Spolysilicon Vibrating Ring Gyroscope; Journal of Microelectromechanical Systems; Vol. 10, No. 2; June 2001; pp 169-179							
	mm	Ayazi, et al.; High Aspect-Ratio Combined Poly and Single-C Microelectromechanical Systems; Vol. 9, No. 3; Sept. 2000; p	rystal Silicon (HARPSS) ME p 288-294	EMS Technology; Journal of					
()	nn	Ayazi, et al.; High Aspect-Ratio Polysilicon Micromachining	Technology; Sensors and Ac	tuators; 87; 2002; pp 46-51					
V_{-}	00	Yazdi, et al.; Micromachined Inertial Sensors; Proceedings of	the IEEE; Vol. 86, No. 8; A	ugust 1998; pp 1640-1659					
	L								
EXAMIN onformance	ER: Ini and not	itial if citation considered, whether or not citation is in conformance v considered. Include copy of this form with next communication to the	vith MPEP § 609. Draw line the applicant.	rough citation if not in					
			E CONSIDERED:	726/04					
		Patent and Tra	demark Office; U. S. DEPA	RTMENT OF COMMERCE					